

Safety Data Sheet

According to (EC) No. 1907/2006 (and 2020/878)

Day of issue: 11. May 2025 Day of revision: 11. May 2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

UFI: Not relevant

KemiLumin Sirius Cat. No. 5410 (component A) KemiLumin Vega Cat. No. 5420 (component A)

1.2. Relevant identified uses of the substance or mixture and uses advised against

For research and analysis. Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

See below

Responsible person for the safety data sheet (e-mail): altox@altox.dk

1.4. Emergency telephone number

NHS (England or Wales): Dial 111 or 0845 4647 NHS 24 (Scotland): Dial 111

National Poisons Information Centre (Ireland): +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008): None

2.2. Label elements

EUH210: Safety data sheet available on request.

2.3. Other hazards

PBT/vPvB: The ingredients are not considered PBT/vPvB according to criteria set out in Regulation 2023/707.

Endocrine disrupting properties: The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2023/707.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

% w/w	Substance	CAS-no.	EC-no.	Index-no.	REACH	Classification
	Name				regno.	
<10	Ethane	107-21-1	203-473-3	603-027-00-1	01-2119456816-28	Acute Tox. 4;H302 (ATE=500)
	1,2-diol					STOT RE 2;H373

Wording of hazard statements - see section 16



SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Move the affected person to fresh air. Keep at rest. If needed: get medical attention.

Skin contact: Remove contaminated clothing and wash with soap and water. In case of rash, wound, or

other skin irritation: Seek medical advice.

Eye contact: Flush with water or physiological salt water, holding eye lids open, remember to remove

contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. Keep under surveillance. If needed: get medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation of skin, eyes, lungs and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to a physician or emergency ward.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not combustible; aqueous solution.

5.2. Special hazards arising from the substance or mixture

Not relevant (the product is not combustible).

5.3. Advice for firefighters

When extinguishing surrounding fires use breathing apparatus with an independent source of air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment - see section 8.

6.2. Environmental precautions

Avoid empty into drains. If large amounts of the mixture contaminate sewages, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Absorb spilled liquid and place spillage in a plastic container. Further handling of spillage - see section 13.

6.4. Reference to other sections

See references above.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

At 2-8°C. Keep container closed when not in use. Protected against direct sunlight.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits (EH40/2020):

Long-term exposure limit Short-term exposure limit Comment

(8-hr TWA) (15-minute STEL)

Ethane-1,2-diol

Sk

Particulate 10 mg/m³

Vapour 20 ppm = 52 mg/m^3 40 ppm = 104 mg/m^3

Sk: Can be absorbed through the skin



SECTION 8: Exposure controls/personal protection (continued)

DNEL:	Exposure	Value	Population	<u>Effects</u>
Ethane-1,2-diol	Long term - inhalation	35 mg/m^3	Worker	Local
	Long term - dermal	106 mg/kg/d	Worker	Systemic
	Long term - inhalation	7 mg/m^3	Consumer	Local
	Long term - dermal	53 mg/kg/d	Consumer	Systemic
PNEC:	Medium	<u>Value</u>		
Ethane-1,2-diol	Freshwater	10 mg/l		
	Marine water	1 mg/l		
	Intermittent release (Fresh water)	10 mg/l		
	Intermittent release (Marine water)	1 mg/l		
	Freshwaters sediment	37 mg/kg		
	Marine water sediment	3.7 mg/kg		
	Soil	1.53 mg/kg		
	STP	199.5 mg/l		

8.2. Exposure controls

Appropriate engineering controls: None particular.

Personal protective equipment:

Inhalation: Not relevant during normal use.

Skin: In case of prolonged or repeated work: Wear protective gloves (>0,3 mm) (EN 374) e.g. of nitrile.

Breakthrough time: approximately 3 hours.

Eyes: Not relevant during normal use. Safety goggles (EN ISO 16321-1) when there is risk of eye

contact.

Environmental exposure controls: None particular.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Colourless to slight yellow

Odour: None

Melting point / freezing point (°C):

No available data

Initial boiling point and boiling range (°C): 100

Flammability (solid, gas):

Lower and upper explosion limit (vol.-%):

Not relevant

Flash point (°C): 380

Auto-ignition temperature (°C): Not relevant Decomposition temperature (°C): No available data

pH: 9.40-9.60

Kinematic viscosity: No available data

Solubility: Completely soluble in water

Partition coefficient: n-octanol/water, Log K_{ow}: No available data Vapour pressure (hPa, 20°C): No available data

Density and/or relative density (g/cm³): 1.0014

Particle characteristics: Not relevant - liquid

9.2. Other information

None relevant



SECTION 10: Stability and reactivity

10.1. Reactivity

No available data.

10.2. Chemical stability

Stable under normal conditions - see section 7.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Excessive heating and freezing

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

None known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin corrosion/irritation: Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin sensitization: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT-single exposure: STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

Hazard class	Data	Test	Data source
Acute toxicity:			
Inhalation	No available/applicable data	-	-
Dermal	LD ₅₀ (mouse) = >3500 mg/kg (Ethane-1,2-diol)	No info	Supplier
Oral	LD ₅₀ (rat) = >4500 mg/kg (Ethane-1,2-diol)	No info	Supplier
Corrosion/irritation:	No skin or eye irritation, rabbit (Ethane-1,2-diol)	No info	ECHA
Sensitization:	Not skin sensitising, guinea pig (Ethane-1,2-diol)	OECD 406	ECHA
CMR:	No CMR effects (Ethane-1,2-diol)	OECD 471	ECHA

Information on likely routes of exposure: Skin, lungs and ingestion.

Symptoms:

Inhalation: Inhalation of atomized liquid may cause irritation of the upper respiratory tract.

Skin: May cause irritation with redness. Ethane-1,2-diol may be absorbed through the skin.

Eyes: May cause irritation with redness.

Ingestion: Ingestion of large amounts can cause irritation with nausea and stomach ache.

Chronic effects: Prolonged or frequent exposure to vapours of volatile organic compounds may result

in damage on liver, kidneys, blood or central nervous system (including brain damage).

11.2. Information on other hazards:

None known



SECTION 12: Ecological information

12.1. Toxicity

Aquatic	Data	Test (Media)	Data source
Fish	LC ₅₀ (Pimephales promelas, 96h) = 72860 mg/l (Ethane-1,2-	EPA 600/4-	ECHA
	diol)	90/027	
Crustacean	EC_{50} (Daphnia magna, 48h) = >100 mg/l (Ethane-1,2-diol)	OECD 202	ECHA
Algae	NOEC (Pseudokirchneriella sub. 72h) = >100 mg/l (Ethane-	OECD 201	ECHA
	1,2-diol)		

12.2. Persistence and degradability

Ethane-1,2-diol is readily degradable (>90%, 10d, OECD Guideline 301A)

12.3. Bioaccumulative potential

Ethane-1,2-diol: Log K_{ow} <1 - No bioaccumulation expected.

12.4. Mobility in soil

No available or applicable data.

12.5. Results of PBT and vPvB assessment

No ingredients are PBT/vPvB, according to the criteria set out in Regulation 2023/707.

12.6. Endocrine disrupting properties:

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

EWC-code:

16 05 09 (mixture itself)

15 02 03 (Paper towel, inert material etc. contaminated with the mixture)

SECTION 14: Transport information

Not dangerous goods according to ADR/RID/IMDG/IATA

- 14.1. UN number or ID number: None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards None
- 14.6. Special precautions for user None
- 14.7. Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture None

15.2. Chemical safety assessment

No CSR



SECTION 16: Other information

Hazard statements mentioned in section 3:

H302: Harmful if swallowed.

H373: May cause damage to organs through prolonged or repeated exposure.

EUH210: Safety data sheet available on request.

Abbreviations:

CMR = Carcinogenicity, mutagenicity and reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

EC50 = Effect Concentration 50 %

FW = Fresh Water

LC₅₀ = Lethal Concentration 50 %

LD₅₀ = Lethal Dose 50 %

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Literature:

ECHA = European Chemicals Agency

Training advice:

No special training is required. However, the user should be well instructed in the execution of his/her task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Changes since the previous edition:

Not relevant - first version

Prepared by: Altox a/s - Tonsbakken 16-18 - DK-2740 Skovlunde - Phone +45 - 38 34 77 98/ PW - Quality control: PH



Safety Data Sheet

According to (EC) No. 1907/2006 (and 2020/878)

Day of issue: 11. May 2025 Day of revision: 11. May 2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

UFI: Not relevant

KemiLumin Sirius Cat. No. 5410 (component B) KemiLumin Vega Cat. No. 5420 (component B)

1.2. Relevant identified uses of the substance or mixture and uses advised against

For research and analysis. Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

See below

Responsible person for the safety data sheet (e-mail): altox@altox.dk

1.4. Emergency telephone number

NHS (England or Wales): Dial 111 or 0845 4647 NHS 24 (Scotland): Dial 111

National Poisons Information Centre (Ireland): +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008): None

2.2. Label elements

EUH210: Safety data sheet available on request.

2.3. Other hazards

PBT/vPvB: The ingredients are not considered PBT/vPvB according to criteria set out in Regulation 2023/707.

Endocrine disrupting properties: The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2023/707.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

% w/w	Substance	CAS-no.	EC-no.	Index-no.	REACH	Classification
	Name				regno.	
<1	Acetic acid	64-19-7	200-580-7	607-002-00-6	01-2119456816-28	Flam. Liq. 3;H226
						Skin Corr. 1A;H314
						Eve Dam. 1:H318

SCL (Specific Concentration limits) for classification: Skin Corr. 1A;H314: $C \ge 90\%$; Skin Corr. 1B;H314: $25\% \le C < 90\%$; Eye Irrit. 2;H319: $10\% \le C < 25\%$; Skin Irrit. 2;H315: $10\% \le C < 25\%$ (Harmonized classification)

Wording of hazard statements - see section 16



SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Move the affected person to fresh air. Keep at rest. If needed: get medical attention.

Skin contact: Remove contaminated clothing and wash with soap and water. In case of rash, wound, or

other skin irritation: Seek medical advice.

Eye contact: Flush with water or physiological salt water, holding eye lids open, remember to remove

contact lenses, if any. If irritation persists: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. Keep under surveillance. If needed: get medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation of skin, eyes, lungs and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to a physician or emergency ward.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not combustible; aqueous solution.

5.2. Special hazards arising from the substance or mixture

Not relevant (the product is not combustible).

5.3. Advice for firefighters

When extinguishing surrounding fires use breathing apparatus with an independent source of air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment - see section 8.

6.2. Environmental precautions

Avoid empty into drains. If large amounts of the mixture contaminate sewages, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Absorb spilled liquid and place spillage in a plastic container. Further handling of spillage - see section 13.

6.4. Reference to other sections

See references above.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

At 2-8°C. Keep container closed when not in use. Protected against direct sunlight.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits (EH40/2020):

Long-term exposure limit Short-term exposure limit Comment

(8-hr TWA) (15-minute STEL)

Acetic acid $10 \text{ ppm} = 25 \text{ mg/m}^3$ $20 \text{ ppm} = 50 \text{ mg/m}^3$ -



SECTION 8: Exposure controls/personal protection (continued)

Exposure	Value	Population	<u>Effects</u>
Long term - inhalation	25 mg/m ³	Worker	Local
Long term - dermal	25 mg/m ³	Worker	Local
Medium	Value		
Freshwater	3.058 mg/l		
Marine water	0.306 mg/l		
Freshwaters sediment	11.36 mg/kg		
Marine water sediment	0.1136 mg/kg		
Soil	0.47 mg/kg		
STP	85 mg/l		
	Long term - inhalation Long term - dermal Medium Freshwater Marine water Freshwaters sediment Marine water sediment Soil	Long term - inhalation 25 mg/m³ Long term - dermal 25 mg/m³ Medium Value Freshwater 3.058 mg/l Marine water 0.306 mg/l Freshwaters sediment 11.36 mg/kg Marine water sediment 0.1136 mg/kg Soil 0.47 mg/kg	Long term - inhalation 25 mg/m³ Worker Long term - dermal 25 mg/m³ Worker Medium Value Freshwater 3.058 mg/l Marine water 0.306 mg/l Freshwaters sediment 11.36 mg/kg Marine water sediment 0.1136 mg/kg Soil 0.47 mg/kg

8.2. Exposure controls

Appropriate engineering controls: None particular.

Personal protective equipment:

Inhalation: Not relevant during normal use.

Skin: In case of prolonged or repeated work: Wear protective gloves (>0,3 mm) (EN 374) e.g. of nitrile.

Breakthrough time: approximately 3 hours.

Eyes: Not relevant during normal use. Safety goggles (EN ISO 16321-1) when there is risk of eye

contact.

Environmental exposure controls: None particular.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Colourless to slight yellow

Odour: None

Melting point / freezing point (°C):

No available data

Initial boiling point and boiling range (°C): 100

Flammability (solid, gas):

Lower and upper explosion limit (vol.-%):

Not relevant

Flash point (°C): 380

Auto-ignition temperature (°C): Not relevant Decomposition temperature (°C): No available data

pH: 4.85-5.05

Kinematic viscosity: No available data

Solubility: Completely soluble in water

Partition coefficient: n-octanol/water, Log K_{ow}: No available data Vapour pressure (hPa, 20°C): No available data

Density and/or relative density (g/cm³): 0,9993

Particle characteristics: Not relevant - liquid

9.2. Other information

None relevant



SECTION 10: Stability and reactivity

10.1. Reactivity

No available data.

10.2. Chemical stability

Stable under normal conditions - see section 7.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Excessive heating and freezing

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

None known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin corrosion/irritation: Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin sensitization: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT-single exposure: STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

Hazard class	zard class Data (Acetic acid)		Data source
Acute toxicity:			
Inhalation	LC ₅₀ (rat) = 11,4 mg/l	No info	IUCLID
Dermal	LC ₅₀ (rat) = 11,4 mg/l	No info	IUCLID
Oral	LD ₅₀ (rat) = 3310 mg/kg (No info	IUCLID
Corrosion/irritation:	Severe irritation to corrosion of skin and eyes, rabbit	No info	IUCLID
Sensitization:	No available/applicable data.	-	-
CMR:	TD _{Lo} (rat, oral) = 5760 mg/kg/32W intermittent:	No info	RTECS
	"Equivocal tumorigenic agent"		
	TD _{Lo} (lactating female rat, oral) = 700 mg/kg 18d	No info	RTECS
	after birth: "Effects on new-born"		

Information on likely routes of exposure: Skin, lungs and ingestion.

Symptoms:

Inhalation: Inhalation of atomized liquid may cause irritation of the upper respiratory tract.

Skin: May cause irritation with redness. Eyes: May cause irritation with redness.

Ingestion: Ingestion of large amounts can cause irritation with nausea and stomach ache.

Chronic effects: None known.

11.2. Information on other hazards:

None known



SECTION 12: Ecological information

12.1. Toxicity

Aquatic	Data (Acetic acid)	Test (Media)	Data source
Fish	LC ₅₀ (Oncorhynchus mykiss, 96h) > 300 mg/l	OECD 203	ECHA
Crustacean	EC ₅₀ (Acartia tonsa, 48h) > 300 mg/l	OECD 202	ECHA
Algae	EC ₅₀ (Skeletonema costatum, 72h) > 1000 mg/l	ISO 10253	ECHA

12.2. Persistence and degradability

Acetic acid is rapidly degradable (OECD 301).

12.3. Bioaccumulative potential

Acetic acid: Log K_{ow} <1 - No bioaccumulation expected.

12.4. Mobility in soil

No available or applicable data.

12.5. Results of PBT and vPvB assessment

No ingredients are PBT/vPvB, according to the criteria set out in Regulation 2023/707.

12.6. Endocrine disrupting properties:

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

EWC-code:

16 05 09 (mixture itself)

15 02 03 (Paper towel, inert material etc. contaminated with the mixture)

SECTION 14: Transport information

Not dangerous goods according to ADR/RID/IMDG/IATA

- 14.1. UN number or ID number: None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards None
- 14.6. Special precautions for user None
- 14.7. Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture None

15.2. Chemical safety assessment

No CSR



SECTION 16: Other information

Hazard statements mentioned in section 3:

H226: Flammable liquid and vapour.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

EUH210: Safety data sheet available on request.

Abbreviations:

CMR = Carcinogenicity, mutagenicity and reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

EC50 = Effect Concentration 50 %

FW = Fresh Water

LC₅₀ = Lethal Concentration 50 %

LD₅₀ = Lethal Dose 50 %

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Literature:

ECHA = European Chemicals Agency

Training advice:

No special training is required. However, the user should be well instructed in the execution of his/her task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Changes since the previous edition:

Not relevant - first version

Prepared by: Altox a/s - Tonsbakken 16-18 - DK-2740 Skovlunde - Phone +45 - 38 34 77 98/ PW - Quality control: PH